DOCUMENT NO: SDS.BME-1 ISSUE DATE: 15-08-2024 REVISE DATE: 15-08-2026 REVISION: 17 PAGE NO: 1 of 5



Document Type:

# Safety Data Sheet Conforms to ISO 11014:2009

**INNOVEX**<sup>TM</sup>

## 1. Identification of the product and Company Identification

Product Name	INNOVEX <sup>™</sup> – Types 60, 70 & 100	Manufactured/ supplied by
Product use	Bulk base emulsion	ВМЕ
Synonyms	INNOVEX <sup>TM</sup>	A division of Omnia Group (Pty) Ltd
Chemical Formula	Not applicable	Physical address
Emergency telephone number	(+27) 11 706 3398	Omnia Holdings, Building H
QR code		Monte Circle Business Park 178 Montecasino Boulevard Fourways Sandton, 2191  Postal address P.O. Box 70040 Bryanston, 2021 Gauteng, South Africa  Contact Tel: +27 11 7098888 E-mail: info@bme.co.za

#### 2. Hazards identification

**GHS Classification:** 

H272 May intensify fire; oxidizer

Acute Tox. 4: H302 Harmful if swallowed H315 Causes skin irritation Skin Irrit. 2: Eye Irritation 2A: H319 Causes serious eye irritation Acute Tox. 5: H335 May be harmful if inhaled

GHS precautionary Statements:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Keep away from clothing and other combustible materials.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF SWALLOWED: Call a doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing with water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Effects and symptoms: May cause irritation to sensitive skin. Harmful if swallowed. May cause irritation in case of eye contact. Aggravating conditions: Not applicable

See toxicological information (section 11)

DOCUMENT NO: SDS.BME-1 PAGE NO: 2 of 5 ISSUE DATE: 15-08-2024 REVISE DATE: 15-08-2026 REVISION: 17

## 3. Composition/information on ingredients

Substance/preparation:

Chemical name Ammonium Nitrate	CAS No 6484-52-2	<b>%</b> < 60	EC Number 229-347-8	GHS Classification Ox. Liq. 2 H272 Skin Irrit. 2, H315 Eye Irritation 2A, H319 Acute Tox. 5, H303 Acute Tox. 5, H333
Calcium Nitrate	10124-37-5	< 30	233-332-1	Ox. Liq. 2 H272 Skin Irrit. 2, H315 Eye Irritation 2A, H319 Acute Tox. 4, H302
Fuel Oil Composition		< 10		Flam. Liq. 3, H226

#### 4. First aid measures

Inhalation If inhaled, move to fresh air. If not breathing, give artificial respiration. Seek medical attention. Ingestion

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth

to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical

attention.

Skin contact In case of skin contact. Immediately flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may

be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Eye contact

Check for and remove any contact lenses. In case of contact immediately flush eyes with plenty of

water for at least 20 minutes. Cold water may be used. Get medical attention.

Note to physician No specific treatment, treat symptomatically.

Protection of first aiders No additional remarks.

#### 5. Fire-fighting measures

**Extinguishing media** 

Do not attempt to fight INNOVEX  $^{\text{TM}}$  fire. Suitable

Not suitable No additional remarks.

If a transport vehicle or surrounding combustible material burns, extinguish. Unusual fire/explosion hazards

Special firefighting procedures IF FIRE IS OUT OF CONTROL or has spread to the INNOVEXTM, this could result in detonation, DO NOT FIGHT FIRE. Withdraw from the fire and let it burn itself out. Promptly isolate the scene by

removing all persons from the vicinity of the incident if there is a fire. First move people out of line-of-

sight of the scene and away from windows.

Protection of fire fighters Wear overalls, gloves, boots and eye protection as well as self-contained breathing apparatus.

#### Accidental release measures

Personal precautions Overalls buttoned to the neck and wrist. Rubber boots. Gloves. Eye protection.

**Environmental precautions** For small spills, make use of the oil spill kit to remove the spilled material.

For large spills, block source of spill and contain spill. Prevent entry into sewers, basements or confined areas. Use soil only to dyke if needed to stop the product from flowing. Do not use soil or dry earth to cover the spill. Use saw dust or an absorbent as per regulation to absorb the spill. Use

appropriate tools to collect into drums or suitable containers.

Dispose waste using a professional registered waste disposal company.

Note: See section 8 for personal protective equipment and section 13 for waste disposal.

DOCUMENT NO: SDS.BME-1 ISSUE DATE: 15-08-2024 REVISE DATE: 15-08-2026 REVISION: 17 PAGE NO: 3 of 5

7. Handling and storage

Handling : Keep away from sources of ignition. Keep away from incompatibles, such as combustible material,

organic materials, alkalis and acids.

Storage : Store in steel tanks or containers. DO NOT store adjacent to any potentially extreme source of heat

or accumulation of combustible material. No open flames or smoking allowed in the vicinity.

Packaging materials : Store in steel tanks.

**Recommended use** : Store in separate containers/tanks.

Not suitable : No additional remarks

8. Exposure controls/personal protection

Engineering measures : Provide exhaust ventilation or other engineering controls to keep in the airborne concentrations of

vapours below their respective occupational exposure limits.

Hygiene measures : Wash hands after handling compounds and before eating, smoking, using ablution facilities and at the

end of the day.

Occupational exposure limits:

Ingredient name

No additional information

Occupational exposure limits

No additional information

Recommended monitoring

**procedures** : No additional information.

Personal protective equipment

Respiratory system : A respirator is not required under normal and intended conditions of product use.

Skin and body : Overalls buttoned to the neck and wrist.

Hands : PVC gloves or similar suitable gloves.

Eyes : Eye protection.

## 9. Physical and chemical properties

Physical state : Viscous black emulsion

 Colour
 :
 Black

 Odour
 :
 Fuel like

 Flammability
 :
 Flammable

 Density
 :
 1.45 – 1.50 g/ml

 Solubility - Water
 :
 Insoluble

Solubility - Solvent : Soluble in most hydrocarbons

**pH** : A

Fire hazards in presence of

various substances
 Contact with combustible or organic material may cause fire.
 Explosive properties
 Non-explosive (Risk of explosion if heated under confinement).

Viscosity : 30 000 – 50 000 cP

#### 10. Stability and reactivity

Stability : Product is stable. As a standalone product, Innovex<sup>™</sup> may be used in ground temperatures up to

65°C. It may not be used in reactive ground or hot holes.

Conditions to avoid : The material becomes explosive after addition of the separate sensitizing material just before pouring

down the blast hole. Avoid oxidising agents, combustible material, organic material, acids, alkali's,

reducing agents and metals.

Hazardous decomposition

product

Nitrous oxides and CO may be generated during detonation. Under normal storage conditions no

hazardous decomposition product occurs.

Hazardous polymerisation : Will not occur.

### 11. Toxicological information

Eyes : Hazardous in case of eye contact (irritant)

Skin : Hazardous in case of skin contact (irritant). Skin inflammation is characterized by itching, scaling,

reddening or occasionally blistering

Ingestion : May cause burns to mouth, throat and stomach

Printed Date: Thursday, 15 August 2024.

DOCUMENT NO: SDS.BME-1 ISSUE DATE: 15-08-2024 REVISE DATE: 15-08-2026 REVISION: 17 PAGE NO: 4 of 5

## 12. Ecological information

Aquatic toxicity:

Fish : Extreme risk of toxicity in high concentrations of nitrate can affect marine life and oil reduces the

available oxygen in water.

**Daphina** : As above.

## 13. Disposal considerations

Methods of disposal : Waste must be disposed of in accordance with federal, state and local environmental control

regulations.

Waste classification : Hazardous waste

## 14. Transport information

Regulatory information	UN Number	Name and description	Class	UN Packaging Group	Additional information
ADR/RID Class	3375	OXIDISING Material (Liquid) N.O	5.1	II	Limited quantity
ADN Class	3375	OXIDISING Material (Liquid) N.O	5.1	II	CEFIC Tremcard
IMDG Class	3375	OXIDISING Material (Liquid) N.O	5.1	II	Emergency schedules
IATA-DGR Class	3375	OXIDISING Material (Liquid) N.O	5.1	II	AIR: Forbidden RAIL: Applicable Hazchem and specific requirements of the relevant transport authority. Both Rail and Road must comply with: Hazardous Substance Act No 15 of 1973 and the OHSAct specifically the Regulations for Hazardous Chemical Substances SEA: As per UN recommendation and the IMDG Code. INNOVEX™ 100 conforms to Series 8 test requirement

## 15. Regulatory Information

EU Regulation

Hazard symbols

Indicator of Danger:

Risk phrases : R5 – Heating may cause explosion

: R8 - Contact with combustible material may cause fire

R10 - Flammable

R 22 – Harmful if swallowed R36 – Irritating to eyes R38 - Irritating to skin

R44 – Risk of explosion if heated under confinement

Safety phrases : S15 – Keep away from heat

S17 – Keep away from combustibles

S24/25 – Avoid contact with skin and eyes

Product use : -

DOCUMENT NO: SDS.BME-1	ISSUE DATE: <b>15-08-2024</b>	REVISE DATE: 15-08-2026	REVISION: 17	PAGE NO: 5 of 5
------------------------	-------------------------------	-------------------------	--------------	-----------------

16. Other informatio	n	
Full text of R-Phrases with No:	R3	Extreme risk of explosion by shock, friction, fire or other sources of ignition
	R5	Heating may cause an explosion
	R8	Contact with combustible material may cause fire
	R9	Explosive when mixed with combustible material
	R10	Flammable
	R61	May cause harm to the unborn child
	R62	Possible risk of impaired fertility
	R20/22	Harmful by inhalation and if swallowed
	R22	Harmful if swallowed
	R36/38	Irritating to eyes and skin
	R33	Danger of cumulative effects
	R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### History

 Date of printing
 : 15-08-2024

 Date of issue
 : 15-08-2024

 Date of previous issue
 : 04-08-2022

Recommended by : K.Govender – R&D Laboratory Supervisor
Authorised by : M.Coetzer-Acting R&D Laboratory Manager

#### **Remarks:**

This SDS summarises, at the date of issue, our best knowledge of health and safety hazard information of the product, and in particular how to safely handle the product in the workplace. As **BME** cannot control the use and handling of the product, each user must review the SDS in the context of how the user intends to handle and use the product in the workplace.