

ISSUED DATE: 16/08/2024

REVISE DATE: 16/08/2026

REVISION: 12

Document Type:



Safety Data Sheet

Conforms to ISO 11014:2009

VIPERDET™

1. Identification of the product and Company Identification

Product Name	VIPERDET™	Manufactured/ supplied by
Shipping name	Detonator Assemblies, Non-electric, for blasting Detonators Non-Electric, for blasting	BME A division of Omnia Group (Pty) Ltd Physical address
Synonyms	VIPERDET [™] MS; VIPERDET [™] SD; VIPERDET [™] LP; VIPERDET [™] Trunkline	Omnia Holdings, Building H Monte Circle Business Park
Chemical Formula	Not applicable	178 Montecasino Boulevard
Emergency telephone number	(+27) 11 706 3398	Fourways
QR code		Sandton, 2191 <i>Postal address</i> P.O. Box 70040 Bryanston, 2021 Gauteng, South Africa <i>Contact</i> Tel: +27 11 7098888 E-mail: info@bme.co.za

2. Hazards identification				
Based on available information, this ma	aterial is not classified as hazardous according to health criteria of international authorities.			
Classified as Dangerous Goods under	the UN Code for the Transport of Explosives by Road and Rail.			
Class: Poisons Schedule:	1.1B Explosives None allocated			
GHS Classification:				
	Expl. 1.1: H201 Explosive; mass explosion hazard			
	GHS precautionary Statements:			
	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep wetted.			
	Ground and bond container and receiving equipment.			
	Do not subject to grinding/shock/friction.			
	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.			
	Store in accordance with local/regional/national/international regulations.			

REVISION: 12

3. Composition/informat	tion on in	gredients		
Recommended Use : Appearance :	Aluminium s could be end tape. Odourl The non-ele signal tube h a base charg enclosed in	hells closed at one closed in a plastic of less. ctric detonator ass has a dusting of RI ge of RDX and/or I a plastic connecto	e end and connected to connecting piece. The tub emblies consist of a sigr DX and Aluminium adher PETN. Depending on pro	ope and development charges underground. each other with a length of plastic tube. Shells bing is coiled tied with an easy breakable paper hal tube with a detonator at each end. The ing to the internal surface. The detonator has iduct type one or more detonators could be intain a pyrotechnic delay charge. Refer to
Chemical Name	CAS No	% (Weight per weight)	EC Number	GHS Classification
Metal and plastic composition articles		>60		
Aluminium Powder	7429-90-5	<1	231-072-3	Pyr. Sol. 1, H250 Water-react. 2, H261
Cyclo-trimethylene trinitramine (RDX)	121-82-4	<1	204-500-1	Acute Tox. 2, H300 Acute Tox. 3, H311 Acute Tox. 3, H331

4. First aid measures The construction of the items prevents any chemical contamination.				
Eye contact:	In cases of eye injury or contamination, it is a sensible precaution to seek medical advice.			
Skin:	Not applicable.			
Inhalation	If exposed to fumes from detonation, in a poorly ventilated area, remove victim from exposure and loosen clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.			
Notes to physician:	Treat symptomatically. Detonator assemblies are explosive – handle with care.			

5. Fire-fighting measures		
Specific hazards Fire fighting	 Explosives material. Avoid all ignition sources Explosive - Severe detonation hazard when exposed to heat. In case of fire where the actual product is not involved, carefully remove the product to a safe distance, otherwise evacuate area immediately and allow to burn. On burning may emit toxic fumes. Fire fighters should wear self-contained breathing apparatus if risk of exposure to vapour or products of detonation. 	

6. Accidental release measures

Shut off all ignition sources. Collect and seal in properly labelled containers for collection. In the case of a transport accidents notify the Police, Explosives Inspectors and BME (Tel nr. - 27 11 709 8777). Explosives should not be abandoned at any location for any reason.

7. Handling a	storage
Storage	: Store in clean, dry magazine suitably licensed for Class 1.1 explosives. Handle with care. Do not subject materials to impact sparking or any type of heat.

8. Exposure controls/personal protection

National occupational exposure	
limits	No value assigned for this specific material.
Engineering Measures	When test firing, ensure adequate ventilation to maintain air concentration below Exposure Standard.
	Natural ventilation should be adequate under normal use conditions.
Personal protective equipment	Not in use. Always wash hands before smoking, eating, drinking or using the toilet.

9. Physical and chemical properties

Printed Date: Friday, 16 August 2024.

DOCUMENT NO: SDS.BME-6		ISSUED DATE: 16/08/2024	REVISE DATE: 16/08/2026	REVISION: 12	PAGE NO: 3 OF 4
Form/Colour/Odour	 Aluminium shells closed at one end and connected to each other by a length of plastic tubing. One or more aluminium shells could be enclosed in a plastic connecting piece. Enclosed in sealed packs in carton. Odourless. 				
Solubility	:	Insoluble in water.			

10. Stability and reactivity

Stability

: Detonation can occur from impact, friction and excessive heating

11. Toxicological information

No adverse health effects if the product is handled in accordance with the Safety Data Sheet and the product label

Ingestion	: N/A
Eye contact	: May result in physical injury
Skin contact	: N/A
Inhalation	: N/A

12. Ecological information

Avoid contaminating waterways

13. Disposal considerations		
For small quantities	: Follow destruction methods duly authorised by relevant authorities and internal management procedures.	
Large quantities	: Should be returned to BME or be disposed of in conjunction with relevant authorities.	

14. Transport information

Road/Rail transport:

Classified as Dangerous Goods under the criteria of Australian Code for the Transport of Explosives by Road and Rail.

UN No: 0360 Class: 1.1B HazChem Code: E Proper Shipping Name: Detonator Assemblies, Non-electric

UN No: 0029 Class: 1.1B HazChem Code: E Proper Shipping Name: Detonators, Non-Electric

Marine Transport:

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN No: 0360 Class: 1.1B Proper Shipping Name: Detonator Assemblies, Non-electric

UN No: 0029 Class: 1.1B Proper Shipping Name: Detonators, Non-Electric

Air Transport:

TRANSPORT PROHIBITED under the Air Transport Association (IATA) Dangerous Goods Regulations for transport by air in passenger and cargo aircraft.

REVISION: 12

15. Regulatory Information

Based on information available, this material is not hazardous, based on adherence to safe working procedures

16. Other information

None

History

Date of printing Date of issue Date of previous issue	: 16-08-2024 : 16-08-2024 : 19-08-2022
Recommended by	: Kady Govender: R&D Laboratory Supervisor
Authorised by	: Myra Coetzer: Acting R&D Laboratory Manager

Remarks:

This SDS summarizes, at the date of issue, our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle the product in the workplace. As **BME** cannot control the use and handling of the product each user must review the SDS in the context of how the user intends to handle and use the product in the workplace.